



CORE SYSTEMS



RUGGED RPS217D LAPTOP

Military-Grade Rugged Laptop

The **RPS217D** is a rugged 17.3" portable server built from machined aircraft-grade aluminum, delivering server-class performance in a compact, deployable form. Designed for harsh environments, it meets MIL-STD 810 and 461 standards, offering resilience against shock, vibration, temperature extremes, and EMI. Weighing just 12.6lb and measuring 4.05" H x 16.5" W x 11.4" D, it's ideal for field-ready operations.

Powered by the latest Intel® Xeon® scalable processors and supporting up to 128GB DDR4 ECC memory, the RPS217D includes dual hot-swap SSD bays, a high-brightness FHD display, and triple smart batteries for extended use. With an operating range from -15°C to +55°C and optional filtering for EMC compliance, it's a powerful, mobile solution for defense, aerospace, and tactical edge applications.

- Application-specific design
- Tested to meet military standards
- Built in the USA

Copyright 2025 All Rights Reserved

Featured Specifications

Dimensions

Height: 4.046" | Depth: 11.40" | Width: 16.50"

Display

17.3" HD LCD

CPU

Latest Intel Xeon Scalable Processor

RAM

Up to 128GB

Power

Power options available



Technical Specifications

Dimensions

Height: 4.046 inches, Width: 16.50 inches, Depth: 11.40 inches
Weight: 12.60 lbs

Display

17.3" HD LCD

Resolution

1920 × 1080

CPU

Latest Intel Xeon Scalable Processor

RAM

128GB

Power

AC adapter (120W, 100-240V, 50/60Hz)

Storage SSD

Dual hot-swappable SSD drives
15.36TB NVMe SSD

Input Interface

Integrated membrane keyboard
CAC reader

Brightness

500 cd/m² (NITS)

Color Depth

16.7M

Chassis

Lightweight aluminum chassis

Environmental Specifications

Operational Temperature

MIL-STD-810F, Method 501.5, Procedures I/II: -15°C to +55°C

Storage Temperature

MIL-STD-810F, Method 501.5, Procedures I/II: -15°C to +55°C

Humidity

MIL-STD-810F, Method 507.4: 95% RH, 48 hours at 40 – 65°C

Altitude

MIL-STD-810F, Method 500.4: 12,500 ft operation; 40,000 ft transport

Vibration

MIL-STD-810G, Method 514.6: 4.43 GRMS, 5-20000Hz, 60 min/axis

Shock

MIL-STD-810G, Method 516.6: 20g, 11ms functional; 40g, 11ms crash hazard

EMC

MIL-STD-461F: CE & RE emissions

Work With Core Systems Today

Core Systems designs and builds rugged servers, displays, mission computers, and integrated cabinet solutions for military and industrial applications. From our 85,000 sq. ft. San Diego facility, we deliver cutting-edge, durable computing solutions for mission-critical needs.

Core Systems

13000 Danielson St
Poway, CA 92064

